


GESTO



GESTO TAMBUR MOTOR
GESTO DRUM MOTORS



Kullanım Alanları

- Yüksek performanslı her türlü küçük konveyör
- Gıda Endüstrisi
- Paketleme ekipmanları
- Metal dedektörleri
- Havaalanı çekim konveyörleri
- İlaç taşıma
- Dinamik tartım ekipmanları
- Şişe geri dönüşüm uygulamaları
- Süpermarket konveyörleri
- X-Ray güvenlik sistemleri

Özellikler




- Asenkron sincap kafes motor
- Mesnetleme braketleri
- Bakım gerektirmez
- Frekans konvertörü uyumlu
- 3 Faz / 1 Faz AC endüksiyon motor
- Sertleştirilmiş çelik / Polimer dişliler
- Düşük ses
- İsteğe bağlı farklı opsiyonlar*

Application Areas

- Small conveyors for high-low duty applications
- Food industry
- Packaging
- Metal detectors
- Airport conveyors
- Pharmaceutical handling
- Dynamic weighing
- Recycling of bottles
- Supermarket conveyors
- X-Ray security systems

Features

- Asynchronous squirrel cage motor
- Mounting brackets
- Maintenance free
- Frequency convertor compatibility
- 3 Phase / 1 Phase AC induction
- Hardened steel / Polymer gears
- Low noise
- Various options on request*



* Farklı ölçü istekleriniz için GESTO'ya danışınız.
For non-standard dimension requests contact GESTO.

Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,18	1,4	7	122	236
	1,2	8	143	202
	1,1	9	155	185
	1	10	171	168
	0,8	12	214	135
	0,7	14	244	118
	0,6	16	285	101
	0,55	18	311	93
	0,5	19	342	84
	0,4	24	428	67
	0,35	28	489	59
	0,26	37	658	44
	0,21	46	814	35
	0,19	51	900	32
	0,17	57	1006	29
	0,14	69	1222	24
	0,12	81	1425	20
0,08	121	2138	13	
0,12	0,7	9	163	118
	0,6	11	190	101
	0,55	12	207	93
	0,5	13	228	84
	0,4	16	285	67
	0,35	18	326	59
	0,26	25	438	44
	0,21	31	543	35
	0,19	34	600	32
	0,17	38	671	29
	0,14	46	814	24
	0,12	54	950	20
	0,08	81	1425	13

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)	
0,11	1,4	4	75	236	
	1,2	5	87	202	
	1,1	5	95	185	
	1	6	105	168	
	0,8	7	131	135	
	0,7	8	149	118	
	0,52	11	201	88	
	0,42	14	249	71	
	0,38	16	275	64	
	0,34	17	307	57	
	0,28	21	373	47	
	0,24	25	435	40	
	0,16	37	653	27	
	0,14	42	746	24	
	0,12	49	871	20	
	0,09	1,4	3	61	236
		1,2	4	71	202
1,1		4	78	185	
1		5	86	168	
0,8		6	107	135	
0,7		7	122	118	
0,6		8	143	101	
0,55		9	155	93	
0,5		10	171	84	
0,4		12	214	67	
0,35		14	244	59	
0,26		19	329	44	
0,21		23	407	35	
0,19		26	450	32	
0,17		29	503	29	
0,14		35	611	24	
0,12		40	713	20	
0,08	61	1069	13		

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,06	1,4	2	41	236
	1,2	3	48	202
	1,1	3	52	185
	1	3	57	168
	0,8	4	71	135
	0,7	5	81	118
	0,6	5	95	101
	0,55	6	104	93
	0,5	6	114	84
	0,4	8	143	67
	0,35	9	163	59
	0,26	12	219	44
	0,21	15	271	35
	0,19	17	300	32
	0,17	19	335	29
	0,14	23	407	24
	0,12	27	475	20
0,08	40	713	13	
0,04	0,7	3	54	118
	0,6	4	63	101
	0,55	4	69	93
	0,5	4	76	84
	0,4	5	95	67
	0,35	6	109	59
	0,26	8	146	44
	0,21	10	181	35
	0,19	11	200	32
	0,17	13	224	29
	0,14	15	271	24
	0,12	18	317	20
	0,08	27	475	13


P (kW) | Güç
Power

V (m/s) | Bant Hızı
Belt Speed

F (N) | Bant Çekiş Gücü
Belt Pull Force

M (Nm) | Moment
Moment

n (1/min) | Devir
Revolution



Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,2	0,7	15	271	118
	0,6	18	317	101
	0,55	20	345	93
	0,5	22	380	84
	0,4	27	475	67
	0,35	31	543	59
	0,26	41	731	44
	0,21	51	905	35
	0,19	57	1000	32
	0,17	63	1118	29
	0,14	77	1357	24
	0,12	90	1583	20
0,08	135	2375	13	

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,18 (3x220)	0,7	14	244	118
	0,6	16	285	101
	0,55	18	311	93
	0,5	19	342	84
	0,4	24	428	67
	0,35	28	489	59
	0,26	37	658	44
	0,21	46	814	35
	0,19	51	900	32
	0,17	57	1006	29
	0,14	69	1222	24
	0,12	81	1425	20
0,18 (3x380)	1,4	7	122	236
	1,2	8	143	202
	1,1	9	155	185
	1	10	171	168
	0,8	12	214	135
	0,7	14	244	118
	0,6	16	285	101
	0,55	18	311	93
	0,5	19	342	84
	0,4	24	428	67
	0,35	28	489	59
	0,26	37	658	44
0,21	46	814	35	
0,19	51	900	32	
0,17	57	1006	29	
0,14	69	1222	24	
0,12	81	1425	20	
0,08	121	2138	13	

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,12 (3x220)	0,7	9	163	118
	0,6	11	190	101
	0,55	12	207	93
	0,5	13	228	84
	0,4	16	285	67
	0,35	18	326	59
	0,26	25	438	44
	0,21	31	543	35
	0,19	34	600	32
	0,17	38	671	29
	0,14	46	814	24
	0,12	54	950	20
0,12 (3x380)	1,4	5	81	236
	1,2	5	95	202
	1,1	6	104	185
	1	6	114	168
	0,8	8	143	135
	0,7	9	163	118
	0,6	11	190	101
	0,55	12	207	93
	0,5	13	228	84
	0,4	16	285	67
	0,35	18	326	59
	0,26	25	438	44
0,21	31	543	35	
0,19	34	600	32	
0,17	38	671	29	
0,14	46	814	24	
0,12	54	950	20	
0,08	81	1425	13	

Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,09	0,7	7	122	118
	0,6	8	143	101
	0,55	9	155	93
	0,5	10	171	84
	0,4	12	214	67
	0,35	14	244	59
	0,26	19	329	44
	0,21	23	407	35
	0,19	26	450	32
	0,17	29	503	29
	0,14	35	611	24
	0,12	40	713	20
	0,08	61	1069	13
	0,06	0,7	5	81
0,6		5	95	101
0,55		6	104	93
0,5		6	114	84
0,4		8	143	67
0,35		9	163	59
0,26		12	219	44
0,21		15	271	35
0,19		17	300	32
0,17		19	335	29
0,14		23	407	24
0,12		27	475	20
0,08		40	713	13

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,04	0,7	3	54	118
	0,6	4	63	101
	0,55	4	69	93
	0,5	4	76	84
	0,4	5	95	67
	0,35	6	109	59
	0,26	8	146	44
	0,21	10	181	35
	0,19	11	200	32
	0,17	13	224	29
	0,14	15	271	24
	0,12	18	317	20
	0,08	27	475	13

P (kW) | Güç
Power

V (m/s) | Bant Hızı
Belt Speed

F (N) | Bant Çekiş Gücü
Belt Pull Force

M (Nm) | Moment
Moment

n (1/min) | Devir
Revolution

GESTO


www.gesto.com.tr

A İkitelli OSB Mahallesi 25.Cadde No:14/1 Başakşehir - İstanbul / TÜRKİYE

T +90 212 982 8696

@ info@gesto.com.tr

www.gesto.com.tr



GESTO TAMBURLU MOTOR
GESTO DRUM MOTORS