


GESTO



GESTO TAMBUR MOTOR
GESTO DRUM MOTORS



Kullanım Alanları

- Yüksek performanslı her türlü küçük konveyör
- Gıda Endüstrisi
- Paketleme ekipmanları
- Metal dedektörleri
- Havaalanı çekim konveyörleri
- İlaç taşıma
- Dinamik tartım ekipmanları
- Şişe geri dönüşüm uygulamaları
- Süpermarket konveyörleri
- X-Ray güvenlik sistemleri

Özellikler


- Asenkron sincap kafes motor
- Mesnetleme braketleri
- Bakım gerektirmez
- Frekans konvertörü uyumlu
- 3 Faz / 1 Faz AC endüksiyon motor
- Sertleştirilmiş çelik / Polimer dişliler
- Düşük ses
- İsteğe bağlı farklı opsiyonlar*

Application Areas

- Small conveyors for high-low duty applications
- Food industry
- Packaging
- Metal detectors
- Airport conveyors
- Pharmaceutical handling
- Dynamic weighing
- Recycling of bottles
- Supermarket conveyors
- X-Ray security systems

Features

- Asynchronous squirrel cage motor
- Mounting brackets
- Maintenance free
- Frequency convertor compatibility
- 3 Phase / 1 Phase AC induction
- Hardened steel / Polymer gears
- Low noise
- Various options on request*



* Farklı ölçü istekleriniz için GESTO'ya danışınız.
For non-standard dimension requests contact GESTO.

Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,18	1,24	7	138	237
	1,06	8	161	202
	0,96	9	178	183
	0,88	10	194	168
	0,70	12	244	134
	0,62	14	276	118
	0,53	16	323	101
	0,48	18	356	92
	0,44	19	389	84
	0,35	24	489	67
	0,31	28	552	59
	0,23	37	744	44
	0,19	45	900	36
	0,17	50	1006	32
	0,15	57	1140	29
	0,12	71	1425	23
	0,10	86	1710	19
0,07	122	2443	13	
0,12	0,62	9	184	118
	0,53	11	215	101
	0,48	12	238	92
	0,44	13	259	84
	0,35	16	326	67
	0,31	18	368	59
	0,23	25	496	44
	0,19	30	600	36
	0,17	34	671	32
	0,15	38	760	29
	0,12	48	950	23
	0,10	57	1140	19
	0,07	81	1629	13

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)	
0,11	1,24	4	84	237	
	1,06	5	99	202	
	0,96	5	109	183	
	0,88	6	119	168	
	0,70	7	149	134	
	0,62	8	169	118	
	0,46	11	227	88	
	0,37	14	282	71	
	0,34	15	307	65	
	0,30	17	348	57	
	0,25	21	418	48	
	0,21	25	498	40	
	0,14	37	746	27	
	0,12	44	871	23	
	0,10	52	1045	19	
	0,09	1,24	3	69	237
		1,06	4	81	202
0,96		4	89	183	
0,88		5	97	168	
0,70		6	122	134	
0,62		7	138	118	
0,53		8	161	101	
0,48		9	178	92	
0,44		10	194	84	
0,35		12	244	67	
0,31		14	276	59	
0,23		19	372	44	
0,19		23	450	36	
0,17	25	503	32		
0,15	29	570	29		
0,12	36	713	23		
0,10	43	855	19		
0,07	61	1222	13		

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,06	1,24	2	46	237
	1,06	3	54	202
	0,96	3	59	183
	0,88	3	65	168
	0,70	4	81	134
	0,62	5	92	118
	0,53	5	108	101
	0,48	6	119	92
	0,44	6	130	84
	0,35	8	163	67
	0,31	9	184	59
	0,23	12	248	44
	0,19	15	300	36
	0,17	17	335	32
	0,15	19	380	29
	0,12	24	475	23
	0,10	29	570	19
0,07	41	814	13	
0,04	0,62	3	61	118
	0,53	4	72	101
	0,48	4	79	92
	0,44	4	86	84
	0,35	5	109	67
	0,31	6	123	59
	0,23	8	165	44
	0,19	10	200	36
	0,17	11	224	32
	0,15	13	253	29
	0,12	16	317	23
	0,10	19	380	19
	0,07	27	543	13


P (kW) | Güç
Power

V (m/s) | Bant Hızı
Belt Speed

F (N) | Bant Çekiş Gücü
Belt Pull Force

M (Nm) | Moment
Moment

n (1/min) | Devir
Revolution



Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,2	0,62	15	306	118
	0,53	18	359	101
	0,48	20	396	92
	0,44	22	432	84
	0,35	27	543	67
	0,31	31	613	59
	0,23	41	826	44
	0,19	50	1000	36
	0,17	56	1118	32
	0,15	63	1267	29
	0,12	79	1583	23
	0,10	95	1900	19
	0,07	136	2714	13
	0,18	0,62	14	276
0,53		16	323	101
0,48		18	356	92
0,44		19	389	84
0,35		24	489	67
0,31		28	552	59
0,23		37	744	44
0,19		45	900	36
0,17		50	1006	32
0,15		57	1140	29
0,12		71	1425	23
0,10		86	1710	19
0,07		122	2443	13

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,12	0,62	9	184	118
	0,53	11	215	101
	0,48	12	238	92
	0,44	13	259	84
	0,35	16	326	67
	0,31	18	368	59
	0,23	25	496	44
	0,19	30	600	36
	0,17	34	671	32
	0,15	38	760	29
	0,12	48	950	23
	0,10	57	1140	19
	0,07	81	1629	13
	0,09	0,62	7	138
0,53		8	161	101
0,48		9	178	92
0,44		10	194	84
0,35		12	244	67
0,31		14	276	59
0,23		19	372	44
0,19		23	450	36
0,17		25	503	32
0,15		29	570	29
0,12		36	713	23
0,10		43	855	19
0,07		61	1222	13

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,06	0,62	5	92	118
	0,53	5	108	101
	0,48	6	119	92
	0,44	6	130	84
	0,35	8	163	67
	0,31	9	184	59
	0,23	12	248	44
	0,19	15	300	36
	0,17	17	335	32
	0,15	19	380	29
	0,12	24	475	23
	0,10	29	570	19
	0,07	41	814	13
	0,04	0,62	3	61
0,53		4	72	101
0,48		4	79	92
0,44		4	86	84
0,35		5	109	67
0,31		6	123	59
0,23		8	165	44
0,19		10	200	36
0,17		11	224	32
0,15		13	253	29
0,12		16	317	23
0,10		19	380	19
0,07		27	543	13

GESTO


www.gesto.com.tr

A İkitelli OSB Mahallesi 25.Cadde No:14/1 Başakşehir - İstanbul / TÜRKİYE

T +90 212 982 8696

@ info@gesto.com.tr

www.gesto.com.tr



GESTO TAMBUK MOTOR
GESTO DRUM MOTORS