


GESTO



GESTO TAMBUR MOTOR GESTO DRUM MOTORS



Kullanım Alanları

- Yüksek performanslı her türlü konveyör
- Lojistik ve kargo uygulamaları
- Depo Yükleme bantları
- Gıda tesisleri
- Mobil kırma & eleme uygulamaları
- Tarım tesisleri
- Havaalanı konveyörleri
- Geri dönüşüm tesisleri
- Taş ocağı ve maden uygulamaları
- Beton ve çimento tesisleri

Özellikler


- Asenkron sincap kafes motor
- Mesnetleme braketleri
- Sertleştirilmiş çelik dişliler
- Bakım gerektirmez
- Frekans konvertörü uyumlu
- 3 Fazlı AC endüksiyon motor
- Dual voltaj
- Güçlü tandem sızdırmazlık
- Düşük ses
- İsteğe bağlı farklı opsiyonlar*

Application Areas

- High duty applications
- Food industry
- Warehouse loading
- Logistics-Postal applications
- Mobile crushing & screening
- Agricultural plants
- Airport conveyors
- Recycling plants
- Mining applications
- Concrete and cement plants

Features

- Asynchronous squirrel cage motor
- Mounting brackets
- Hardened steel
- Maintenance free
- Frequency convertor compatibility
- 3 Phase AC induction
- Dual voltage
- Double lipped tandem sealing
- Low noise
- Various options on request*



* Farklı ölçü istekleriniz için GESTO'ya danışınız.
For non-standard dimension requests contact GESTO.

Ürün Tipleri | Product Selection Table


P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
5,50	4,00	176	1306	283
	3,40	207	1537	241
	3,00	235	1742	212
	2,60	271	2010	184
	2,00	353	2613	142
	1,80	392	2903	127
	1,60	441	3266	113
	1,50	470	3484	106
	1,30	543	4020	92
	1,00	705	5225	71

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
4,00	4,00	128	950	283
	3,40	151	1118	241
	3,00	171	1267	212
	2,60	197	1462	184
	2,00	257	1900	142
	1,80	285	2111	127
	1,60	321	2375	113
	1,50	342	2534	106
	1,30	395	2923	92
	1,00	513	3800	71
	0,80	641	4750	57
	0,60	855	6334	42
	0,40	1283	9501	28
	0,25	2052	15201	18

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
3,00	4,00	96	713	283
	3,40	113	838	241
	3,00	128	950	212
	2,60	148	1096	184
	2,00	192	1425	142
	1,80	214	1583	127
	1,60	240	1781	113
	1,50	257	1900	106
	1,30	296	2193	92
	1,00	385	2850	71
	0,80	481	3563	57
	0,60	641	4750	42
	0,40	962	7126	28
	0,25	1539	11401	18

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
2,20	4,00	71	523	283
	3,40	83	615	241
	3,00	94	697	212
	2,60	109	804	184
	2,00	141	1045	142
	1,80	157	1161	127
	1,60	176	1306	113
	1,50	188	1393	106
	1,30	217	1608	92
	1,00	282	2090	71
	0,80	353	2613	57
	0,60	470	3484	42
	0,40	705	5225	28
	0,25	1129	8361	18

P (kW) | Güç | Power
 V (m/s) | Bant Hızı | Belt Speed
 F (N) | Bant Çekiş Gücü | Belt Pull Force
 M (Nm) | Moment | Moment
 n (1/min) | Devir | Revolution



Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
1,50	4,00	48	356	283
	3,40	57	419	241
	3,00	64	475	212
	2,60	74	548	184
	2,00	96	713	142
	1,80	107	792	127
	1,60	120	891	113
	1,50	128	950	106
	1,30	148	1096	92
	1,00	192	1425	71
	0,80	240	1781	57
	0,60	321	2375	42
	0,40	481	3563	28
	0,25	770	5701	18

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
1,10	4,00	35	261	283
	3,40	41	307	241
	3,00	47	348	212
	2,60	54	402	184
	2,00	71	523	142
	1,80	78	581	127
	1,60	88	653	113
	1,50	94	697	106
	1,30	109	804	92
	1,00	141	1045	71
	0,80	176	1306	57
	0,60	235	1742	42
	0,40	353	2613	28
	0,25	564	4180	18

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,75	4,00	35	261	283
	3,40	41	307	241
	3,00	47	348	212
	2,60	54	402	184
	2,00	71	523	142
	1,80	78	581	127
	1,60	88	653	113
	1,50	94	697	106
	1,30	109	804	92
	1,00	141	1045	71
	0,80	176	1306	57
	0,60	235	1742	42
	0,40	353	2613	28
	0,25	564	4180	18

P (kW) | Güç
Power

V (m/s) | Bant Hızı
Belt Speed

F (N) | Bant Çekiş Gücü
Belt Pull Force

M (Nm) | Moment
Moment

n (1/min) | Devir
Revolution

GESTO

www.gesto.com.tr

A İkitelli OSB Mahallesi 25.Cadde No:14/1 Başakşehir - İstanbul / TÜRKİYE

T +90 212 982 8696

@ info@gesto.com.tr

www.gesto.com.tr



GESTO TAMIRLI MOTOR
GESTO DRUM MOTORS