

GESTO



GESTO TAMBUR MOTOR
GESTO DRUM MOTORS

GESTO

G 500

Kullanım Alanları

- Yüksek performanslı her türlü konveyör
- Kırma ve eleme uygulamaları
- Taş ocağı ve maden uygulamaları
- Tarım tesisleri
- Geri dönüşüm tesisleri
- Kömür ve çelik işletmeleri
- Beton ve çimento tesisleri
- Asfalt tesisleri

Özellikler



- Asenkron sincap kafes motor
- Mesnetleme braketleri
- Sertleştirilmiş çelik dişliler
- Bakım gerektirmez
- Frekans konvertörü uyumlu
- 3 Fazlı AC endüksiyon motor
- Dual voltaj
- Güçlü tandem sızdırmazlık
- Düşük ses
- İsteğe bağlı farklı opsiyonlar*

Application Areas


- High duty applications
- Recycling plants
- Mining applications
- Asphalt plants
- Agricultural plants
- Coal and steel plants
- Mobile crushing & screening
- Concrete and cement plants

Features

- Asynchronous squirrel cage motor
- Mounting brackets
- Hardened steel
- Maintenance free
- Frequency convertor compatibility
- 3 Phase AC induction
- Dual voltage
- Double lipped tandem sealing
- Low noise
- Various options on request*



* Farklı ölçü istekleriniz için GESTO'ya danışınız.
For non-standard dimension requests contact GESTO.



Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
30,00	4,00	1790	7126	152
	3,20	2238	8907	122
	2,50	2864	11401	95
	2,00	3581	14251	76
	1,60	4476	17814	61
22,00	4,00	1313	5225	152
	3,20	1641	6532	122
	2,50	2101	8361	95
	2,00	2626	10451	76
	1,60	3282	13063	61
18,50	4,00	1104	4394	152
	3,20	1380	5493	122
	2,50	1766	7031	95
	2,00	2208	8788	76
	1,60	2760	10985	61
15,00	4,00	895	3563	152
	3,20	1119	4453	122
	2,50	1432	5700	95
	2,00	1790	7126	76
	1,60	2238	8907	61
11,00	4,00	656	2613	152
	3,20	821	3266	122
	2,50	1050	4180	95
	2,00	1313	5225	76
	1,60	1641	6532	61

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
7,50	4,00	448	1781	152
	3,20	559	2227	122
	2,50	716	2850	95
	2,00	895	3563	76
	1,60	1119	4453	61
	1,30	1377	5481	49
	1,00	1790	7126	38
	0,80	2238	8907	30
	0,60	2984	11876	23
	0,50	3581	14251	19
5,50	4,00	328	1306	152
	3,20	410	1633	122
	2,50	525	2090	95
	2,00	656	2613	76
	1,60	821	3266	61
	1,30	1010	4020	49
	1,00	1313	5225	38
	0,80	1641	6532	30
	0,60	2188	8709	23
	0,50	2626	10451	19

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
4,00	4,00	239	950	152
	3,20	298	1188	122
	2,50	382	1520	95
	2,00	477	1900	76
	1,60	597	2375	61
	1,30	734	2923	49
	1,00	955	3800	38
	0,80	1194	4750	30
	0,60	1591	6334	23
	0,50	1910	7601	19
3,00	4,00	179	713	152
	3,20	224	891	122
	2,50	286	1140	95
	2,00	358	1425	76
	1,60	448	1781	61
	1,30	551	2192	49
	1,00	716	2850	38
	0,80	895	3563	30
	0,60	1194	4750	23
	0,50	1432	5700	19

P (kW) | Güç | Power
V (m/s) | Bant Hızı | Belt Speed
F (N) | Bant Çekis Gücü | Belt Pull Force
M (Nm) | Moment | Moment
n (1/min) | Devir | Revolution

Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
2,20	4,00	131	523	152
	3,20	164	653	122
	2,50	210	836	95
	2,00	263	1045	76
	1,60	328	1306	61
	1,30	404	1608	49
	1,00	525	2090	38
	0,80	656	2613	30
	0,60	875	3484	23
	0,50	1050	4180	19
	0,40	1313	5225	15
	0,33	1591	6334	13
	0,26	2020	8039	10
	1,50	4,00	90	356
3,20		112	445	122
2,50		143	570	95
2,00		179	713	76
1,60		224	891	61
1,30		275	1096	49
1,00		358	1425	38
0,80		448	1781	30
0,60		597	2375	23
0,50		716	2850	19
0,40		895	3563	15
0,33		1085	4318	13
0,26		1377	5481	10

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
1,10	4,00	66	261	152
	3,20	82	327	122
	2,50	105	418	95
	2,00	131	523	76
	1,60	164	653	61
	1,30	202	804	49
	1,00	263	1045	38
	0,80	328	1306	30
	0,60	438	1742	23
	0,50	525	2090	19
	0,40	656	2613	15
	0,33	796	3167	13
	0,26	1010	4020	10

P (kW) | Güç
Power

V (m/s) | Bant Hızı
Belt Speed

F (N) | Bant Çekiş Gücü
Belt Pull Force

M (Nm) | Moment
Moment

n (1/min) | Devir
Revolution

GESTO


www.gesto.com.tr

A İkitelli OSB Mahallesi 25.Cadde No:14/1 Başakşehir - İstanbul / TÜRKİYE

T +90 212 982 8696

@ info@gesto.com.tr

www.gesto.com.tr



GESTO TAMBURLU MOTOR
GESTO DRUM MOTORS